

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name/designation** Photopolymer ABS Flex series (includes ABS Flex White, ABS Flex Gray and ABS Flex Black, ABS Flex White M, ABS Flex Gray M, ABS Flex Black M, ABS 3SP Flex White, ABS 3SP Flex Gray, ABS 3SP Flex Black)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

##### Sector of uses [SU]

Light curing resin for EnvisionTec's family Computer Aided Modeling Devices

### 1.3 Details of the supplier of the safety data sheet

#### Importer/Only Representative

Envisiontec GmbH

Brusseler str., 51

Germany-D 45968 Gladbeck

Telephone: +49204398750

E-mail: info@envisiontec.com

Information telephone: +49204398750

www.envisiontec.com

### 1.4 Emergency telephone number

This number is serviced during office hours.

---

## SECTION 2: Hazards identification

### Hazards description

#### Hazard designation:

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

### 2.1 Classification of the substance or mixture

#### Additional information

No information available for acute dermal and inhalative toxicity

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

##### health hazards

Acute Tox. 4

##### hazard statements for health hazards

H332 Harmful if inhaled.

##### health hazards

Skin Irrit. 2

##### hazard statements for health hazards

H315 Causes skin irritation.

##### health hazards

Eye Irrit. 2

---

## hazard statements for health hazards

H319 Causes serious eye irritation.

## health hazards

Skin Sens. 1

## hazard statements for health hazards

H317 May cause an allergic skin reaction.

## 2.2 Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Hazard components for labelling

hexane-1,6-diol diacrylate

#### Hazard pictograms



GHS07

#### Signal word

Warning

#### Hazard statements

##### hazard statements for health hazards

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

#### Precautionary statements

##### General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

##### Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

##### Disposal:

P501 Dispose of contents/container to industrial incineration plant.

#### Product identifiers

hexane-1,6-diol diacrylate

Isobornyl acrylate

#### Special rules on packaging

Tactile warning according to EN/ISO 11683.

## 2.3 Other hazards

### Other adverse effects

People who suffer from skins problems, asthma, allergies, chronic or recurring respiratory illnesses must not be deployed in processes, which use this substance. Process vapours can irritate airways, skin and eyes.

## SECTION 3: Composition / information on ingredients

### Additional information

Full text of R-phrases: see section 16.

### 3.1/3.2 Substances/Mixtures

#### Hazardous ingredients

hexane-1,6-diol diacrylate	5 - 15 %
CAS 13048-33-4	
EC 235-921-9	
INDEX 607-109-00-8	
Eye Irrit. 2, H319 / Skin Irrit. 2, H315 / Skin Sens. 1, H317	
Isobornyl acrylate	1 - 3 %
CAS 5888-33-5	
EC 227-561-6	
Acute Tox. 4, H332 / Skin Irrit. 2, H315 / Eye Irrit. 2, H319 / STOT SE 3, H335	
Titanium Dioxide	0.1 - 0.2 %
Acute Tox. 4, H332 / Skin Irrit. 2, H315 / Eye Irrit. 2, H319 / STOT SE 3, H335	
Acrylated monomer	5 - 30 %
Skin Irrit. 2, H315 / Eye Irrit. 2, H319	
Acrylated monomer	10 - 20 %
Skin Irrit. 2, H315 / Eye Irrit. 2, H319	
Methacrylated oligomer	10 - 30 %
Skin Irrit. 2, H315 / Eye Irrit. 2, H319	
Acrylated oligomer	20 - 30 %
Skin Irrit. 2, H315 / Eye Irrit. 2, H319	

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Change contaminated, saturated clothing.

#### Following inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. If breathing is irregular or stopped, administer artificial respiration.

## Following skin contact

Wash immediately with:  
Water and soap

## After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

## Following ingestion

If swallowed, immediately drink:  
Water. Induce vomiting when the affected person is not unconscious.

## 4.2 Most important symptoms and effects, both acute and delayed

### Symptoms

No symptoms known up to now.

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### Additional information

The product itself is not combustible. In case of fire and/or explosion do not breathe fumes.

### 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>)  
Dry extinguishing powder.  
Foam  
Water spray

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

#### Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

---

## SECTION 6: Accidental release measures

### Additional information

Do not use a brush or compressed air for cleaning surfaces or clothing. Clear spills immediately. Eliminate leaks immediately.

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

##### Personal precautions

Wear personal protection equipment. Remove all sources of ignition.

---

## For emergency responders

### Personal protection equipment

Use appropriate respiratory protection.

### 6.2 Environmental precautions

Do not empty into drains or the aquatic environment.

### 6.3 Methods and material for containment and cleaning up

#### For containment

#### Suitable material for taking up

Absorbing material, organic

Sand

### 6.4 Reference to other sections

No data available

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work.

Provide eye shower and label its location conspicuously

#### Protective measures

#### Advices on safe handling

Avoid:

Skin contact

Eye contact

Always close containers tightly after the removal of product.

#### Measures to prevent fire

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

#### Environmental precautions

See section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Hints on joint storage

#### Materials to avoid

Materials to avoid

Oxidising agent

Strong alkali

Alcohols

Reducing agent

#### Storage class

No storage class

---

## Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place.

Recommended storage temperature:

Protect containers against damage.

## 7.3 Specific end use(s)

No data available

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

No data available

### 8.2 Exposure controls

#### Appropriate engineering controls

#### Structural measures to prevent exposure

Do not use above following temperatures:

#### Personal protection equipment

##### Eye/face protection

##### Suitable eye protection

Eye glasses with side protection

goggles

##### Skin protection

##### Suitable gloves type

Disposable gloves

##### Suitable material

NBR (Nitrile rubber)

##### Body protection

##### Suitable protective clothing

Lab apron. Lab coat.

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

#### Environmental exposure controls

#### Instructional measures to prevent exposure

Do not use above following temperatures:

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

#### Physical state

liquid

---

## Colour

opaque

white

grey

black

## Odour

Acrylate

	parameter	Method - source - remark
Evaporation rate		not determined
Melting point/freezing point		not determined
Boiling point or initial boiling point and boiling range	>100 °C	
flammability		not determined
Upper explosion limit		not determined
lower explosion limit		not determined
Flash point (°C)	>100 °C	
Auto-ignition temperature		not determined
Decomposition temperature		not determined
pH	6.8 - 7.2	Temperature 25 °C
Soluble (g/L) in		Soluble in: Isopropanol Alcohol
Soluble (g/L) in		Insoluble in:
Fat solubility		not determined
Water solubility		not determined
Partition coefficient: n-octanol/water		not determined
Vapour pressure		not determined
Vapour density		not determined
Relative density	1.1 - 1.12 g/cm <sup>3</sup>	Temperature 25 °C
particle characteristics		not determined
Dynamic viscosity	1000 - 2000 mPa*s	Temperature 25 °C
flow time		not determined
Kinematic viscosity		not determined

---

## 9.2 Other information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3 Possibility of hazardous reactions

No information available.

### 10.4 Conditions to avoid

In case of light influence:

Danger of polymerisation

### 10.5 Incompatible materials

#### Materials to avoid

Reacts with :

Oxidizing agents. Reducing agents. Peroxides.

Radical former

### 10.6 Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

Carbon dioxide

Carbon monoxide

---

## SECTION 11: Toxicological information

### Additional information

According to our best knowledge none ingredients of this product at concentrations equal to or greater than 0.1% are listed on SVHC list of ECHA and TSCA-PBT.

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Acute dermal toxicity

**ingredient** Titanium Dioxide

**Acute dermal toxicity** >10000 mg/kg

##### Effective dose

LD50:

##### Species:

Rat.

**ingredient** Isobornyl acrylate

**Acute dermal toxicity** >5000 mg/kg

##### Effective dose

LD50:

---



**Species:**

Rabbit.

**Acute oral toxicity**

**ingredient** Titanium Dioxide

**Acute oral toxicity** >10000 mg/kg

**Effective dose**

LD50:

**Species:**

Rat.

**ingredient** hexane-1,6-diol diacrylate

**Acute oral toxicity** >5000 mg/kg

**Effective dose**

LD50:

**Species:**

Rat.

**ingredient** Isobornyl acrylate

**Acute oral toxicity** >4890 mg/kg

**Effective dose**

LD50:

**Species:**

Rat.

**Serious eye damage/irritation**

**In vitro eye test**

Irritant. Irritating to eyes. Risk of serious damage to eyes.

**Species:**

Rabbit.

**Respiratory or skin sensitisation**

**Skin sensitisation**

**Assessment/classification**

May cause sensitization by inhalation and skin contact.

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity**

**Acute (short-term) fish toxicity**

**ingredient** Titanium Dioxide

**Acute (short-term) fish toxicity** >1000 mg/L

**Effective dose**

LC50:

---

---

**Test duration** =96 h

**Acute (short-term) toxicity to crustacea**

**ingredient** Titanium Dioxide

**Acute (short-term) toxicity to crustacea** >1000 mg/L

**Effective dose**

EC50

**Test duration** =48 h

**species**

Daphnia magna (Big water flea)

**ingredient** Titanium Dioxide

**Acute (short-term) toxicity to crustacea** >1000 mg/L

**Effective dose**

EC0

**Test duration** =48 h

**species**

Daphnia magna (Big water flea)

**12.2 Persistence and degradability**

No information available.

**12.3 Bioaccumulative potential**

**Assessment/classification**

not readily biodegradable (according to OECD criteria)

**12.4 Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

No information available.

**12.6 Other adverse effects**

No information available.

---

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Directive 2008/98/EC (Waste Framework Directive)**

**Before intended use**

**Appropriate disposal / Package**

Handle contaminated packaging in the same way as the substance itself.

**Waste code product** 070208

**hazardous waste** Yes.

**Waste name**

other still bottoms and reaction residues

**After intended use**

**Appropriate disposal / Product**

Waste disposal according to official state regulations.

**Waste code packaging** 070208

**hazardous waste** Yes.

**Waste name**

other still bottoms and reaction residues

**SECTION 14: Transport information**

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN-No.	not applicable	not applicable	not applicable
14.2 Proper Shipping Name	not applicable	not applicable	not applicable
14.3 Class(es)	not applicable	not applicable	not applicable
14.4 Packing group	not applicable	not applicable	not applicable
14.5 ENVIRONMENTALLY HAZARDOUS	not applicable	not applicable	not applicable
14.6 Special precautions for user	not applicable	not applicable	not applicable
14.7 Maritime transport in bulk according to IMO instruments	not applicable	not applicable	not applicable

**Additional information - Land transport (ADR/RID)**

**remark**

No dangerous good in sense of this transport regulation.

**Additional information - Air transport (ICAO-TI / IATA-DGR)**

**remark**

Not a hazardous material with respect to these transportation regulations.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No data available

**15.2 Chemical Safety Assessment**

Irritant

Harmful

Photopolymer ABS Flex series  
(includes ABS Flex White, ABS  
Flex Gray and ABS Flex Black,  
ABS Flex White M, ABS Flex Gray  
M, ABS Flex Black M, ABS 3SP  
Flex White, ABS 3SP Flex Gray,  
ABS 3SP Flex Black)

Print date 02.06.2021

Revision date 10.02.2021

Version 3.0

---

## SECTION 16: Other information

### Additional information

Observe labels and safety data sheets for chemicals used in processing. Notice the directions for use on the label.

### Relevant R-, H- and EUH-phrases (Number and full text)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H332 Harmful if inhaled.

### Key literature references and sources for data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.