Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)Photopolymer E-Tool 2.0Print date04.11.2021Revision date15.03.2018Version1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation Photopolymer E-Tool 2.0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Sector of uses [SU] Light curing resin for EnvisionTec's family Computer Aided Modeling Devices

1.3 Details of the supplier of the safety data sheet

Importer/Only Representative

Envisiontec GmbH Brusseler Str., 51 Germany-D 45968 Gladbeck Telephone: +49204398750 E-mail: info@envisiontec.com Information telephone: +49204398750 www.envisiontec.com

1.4 Emergency telephone number

This number is serviced during office hours.

SECTION 2: Hazards identification

Hazards description

Hazard designation:

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

health hazards

Skin Irrit. 2

hazard statements for health hazards

H315 Causes skin irritation.

health hazards

Skin Sens. 1

hazard statements for health hazards

H317 May cause an allergic skin reaction.

health hazards

Eye Dam. 1

hazard statements for health hazards

H318 Causes serious eye damage.

health hazards

STOT SE 3

hazard statements for health hazards

H335 May cause respiratory irritation.

health hazards STOT RE 2

Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)Photopolymer E-Tool 2.0Print date04.11.2021Revision date15.03.2018Version1.0

hazard statements for health hazards

H373 May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

Environmental hazards

Aquatic Chronic 3

hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Signal word Warning

varning

Hazard statements

hazard statements for health hazards

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H373 May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

General:

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.

Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Disposal:

P501 Dispose of contents/container to industrial incineration plant.

Product identifiers

Phosphine oxide

Acrylated monomer

Special rules on packaging

Tactile warning according to EN/ISO 11683.

Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)Photopolymer E-Tool 2.0Print date04.11.2021Revision date15.03.2018Version1.0

2.3 Other hazards

Other adverse effects

People who suffer from skins problems, asthma, allergies, chronic or recurring respiratory illnesses must not be deployed in processes, which use this substance. Process vapours can irritate airways, skin and eyes.

SECTION 3: Composition / information on ingredients

Additional information Full text of H- and EUH-statements: see section 16.	
3.1/3.2 Substances/Mixtures	
Hazardous ingredients Phosphine oxide CAS Proprietary Skin Sens. 1, H317 / Repr. 2, H361	<1 %
Acrylated oligomer CAS Propretary Skin Irrit. 2, H315 / Eye Dam. 1, H318 / Eye Irrit. 2, H319	5 - 10 %
Acrylated monomer CAS Proprietary Acute Tox. 4, H302 / Skin Sens. 1, H317 / Eye Dam. 1, H318 / STOT RE 2, H373	5 - 15 %
Acrylated monomer CAS Proprietary Skin Irrit. 2, H315 / Skin Sens. 1, H317	5 - 10 %
Glass beads CAS 65997-17-3 Skin Irrit. 2, H315 / Eye Irrit. 2, H319 / STOT SE 3, H335	45 - 75 %
Acrylated oligomer CAS Proprietary Skin Irrit. 2, H315 / Skin Sens. 1, H317 / Eye Irrit. 2, H319 / STOT SE 3, H335	5 - 10 %
Acrylated monomer CAS Proprietary Skin Sens. 1, H317 / Aquatic Chronic 3, H412	3 - 5 %

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Change contaminated, saturated clothing.

Following inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Wash immediately with: Water and soap

Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)Photopolymer E-Tool 2.0Print date04.11.2021Revision date15.03.2018Version1.0

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

If swallowed, immediately drink: Water. Induce vomiting when the affected person is not unconscious.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

No symptoms known up to now.

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

Additional information

The product itself is not combustible. In case of fire and/or explosion do not breathe fumes.

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Dry extinguishing powder. Foam Water spray

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

Additional information

Do not use a brush or compressed air for cleaning surfaces or clothing. Clear spills immediately. Eliminate leaks immediately.

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Personal precautions

Wear personal protection equipment. Remove all sources of ignition.

For emergency responders

Personal protection equipment

Use appropriate respiratory protection.

6.2 Environmental precautions

Do not empty into drains or the aquatic environment.

6.3 Methods and material for containment and cleaning up

For containment

Suitable material for taking up

Absorbing material, organic

Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)Photopolymer E-Tool 2.0Print date04.11.2021Revision date15.03.2018Version1.0

Sand

6.4 Reference to other sections

No data available

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work. Provide eye shower and label its location conspicuously

Protective measures

Advices on safe handling

Avoid: Skin contact Eye contact Always close containers tightly after the removal of product.

Measures to prevent fire

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Environmental precautions

See section 8.

7.2 Conditions for safe storage, including any incompatibilities

Hints on joint storage

Materials to avoid

Materials to avoid Oxidising agent Strong alkali Alcohols Reducing agent

Storage class

No storage class

Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place. Recommended storage temperature: Protect containers against damage.

7.3 Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No data available

8.2 Exposure controls

Appropriate engineering controls

Structural measures to prevent exposure

Do not use above following temperatures:

Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)Photopolymer E-Tool 2.0Print date04.11.2021Revision date15.03.2018Version1.0

Personal protection equipment

Eye/face protection

Suitable eye protection

Eye glasses with side protection goggles

Skin protection

Suitable gloves type Disposable gloves

Suitable material NBR (Nitrile rubber)

Body protection

Suitable protective clothing Lab apron. Lab coat.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

Instructional measures to prevent exposure Do not use above following temperatures:

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state

liquid

Colour

opaque light yellow

Odour

Acrylate

	parameter	Method - source - remark
Evaporation rate		not determined
Melting point/freezing point		not determined
Boiling point or initial boiling point and boiling range	>100 °C	
flammability		not determined
Upper explosion limit		not determined
lower explosion limit		not determined
Flash point (°C)	>100 °C	
Auto-ignition temperature		not determined
Decomposition temperature		not determined

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Photopolymer E-Tool 2.0 Print date 04.11.2021 Revision date 15.03.2018 Version 1.0

Method - source - remark parameter 6.8 - 7.2 Temperature 25 °C Soluble (g/L) in Soluble in: Isopropanol Alcohol Soluble (g/L) in Insoluble in: water not determined Fat solubility Water solubility not determined Partition coefficient: n-octanol/water not determined not determined Vapour pressure Vapour density not determined Relative density 1.55 - 1.75 g/cm³ Temperature 25 °C not determined particle characteristics 1000 - 3000 mPa*s Temperature 25 °C Dynamic viscosity flow time not determined Kinematic viscosity not determined

9.2 Other information

No data available

pН

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

In case of light influence: Danger of polymerisation

10.5 Incompatible materials

Materials to avoid

Reacts with : Oxidizing agents. Reducing agents. Peroxides. Radical former

10.6 Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours. Carbon dioxide Carbon monoxide

Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)Photopolymer E-Tool 2.0Print date04.11.2021Revision date15.03.2018Version1.0

SECTION 11: Toxicological information 11.1 Information on toxicological effects Acute toxicity Acute dermal toxicity ingredient Acrylated oligomer Acute dermal toxicity >5000 mg/kg **Effective dose** LD50: Species: Rat ingredient Acrylated monomer Acute dermal toxicity >2000 mg/kg Effective dose LD50: Species: Rat source Literature ingredient Acrylated monomer Acute dermal toxicity >5000 mg/kg source Estimate ingredient Phosphine oxide Acute dermal toxicity >2000 mg/kg Effective dose LD50: Species: Rat Method **OECD 402** Acute inhalation toxicity (vapour) ingredient Acrylated monomer Acute inhalation toxicity (vapour) 5.28 mg/kg Effective dose LC50: Exposure time 4 h Species: Rat ingredient Acrylated monomer Acute inhalation toxicity (vapour) 40 mg/L Exposure time 4 h source Estimate

Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)Photopolymer E-Tool 2.0Print date04.11.2021Revision date15.03.2018Version1.0

Acute oral toxicity

ingredient Acrylated oligomer Acute oral toxicity >2000 mg/kg Effective dose LD 0: Species: Rat ingredient Acrylated monomer Acute oral toxicity 588 mg/kg Effective dose LD50:

Species: Rat

Method

OECD 401 ingredient Acrylated monomer Acute oral toxicity >5000 mg/kg

source Estimate ingredient Phosphine oxide Acute oral toxicity >5000 mg/kg

Effective dose

LD50:

Species: Rat

Method OECD 401

skin corrosion/irritation

Assessment/classification Irritant.

Serious eye damage/irritation

In vitro eye test

Irritant. Irritating to eyes. Risk of serious damage to eyes.

Species: Rabbit.

Respiratory or skin sensitisation

Skin sensitisation

Assessment/classification May cause sensitization by inhalation and skin contact.

STOT-single exposure

STOT SE 3

Irritation to respiratory tract

Assessment/classification

May cause respiratory irritation.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (RĚACH) Photopolymer E-Tool 2.0 Print date Revision date Version 1.0

04.11.2021 15.03.2018

STOT-repeated exposure

STOT RE 1 and 2

Oral specific target organ toxicity (repeated exposure)

Other information

May causes damage to organs through prolonged or repeated exposure if swallowed.

SECTION 12: Ecological information 12.1 Toxicity Aquatic toxicity Acute (short-term) fish toxicity ingredient Acrylated monomer Acute (short-term) fish toxicity >200 mg/L Effective dose LC50: Test duration 96 h species Danio rerio (zebrafish) inaredient Phosphine oxide Acute (short-term) fish toxicity 1 - 10 mg/L Effective dose LC50: Test duration 96 h species Danio rerio (zebrafish) Acute (short-term) toxicity to crustacea ingredient Acrylated monomer Acute (short-term) toxicity to crustacea >200 mg/L Effective dose **EC50** Test duration 48 h species Daphnia magna (Big water flea) Method **OECD 202** ingredient Acrylated monomer Acute (short-term) toxicity to crustacea 2.4 mg/L Effective dose **EC50** Test duration 48 h species Daphnia magna (Big water flea) ingredient Phosphine oxide Acute (short-term) toxicity to crustacea 3.53 mg/L

Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)Photopolymer E-Tool 2.0Print date04.11.2021Revision date15.03.2018Version1.0

Effective dose

EC50 Test duration 48 h

species

Daphnia magna (Big water flea)

Method

OECD 202

Acute (short-term) toxicity to algae and cyanobacteria

ingredient Acrylated monomer

Acute (short-term) toxicity to algae and cyanobacteria 120 mg/L

Effective dose

EC50

Test duration 72 h

species

Pseudokirchneriella subcapitata

Method

OECD 201 ingredient Acrylated monomer

Acute (short-term) toxicity to algae and cyanobacteria 1.6 mg/L

Effective dose EC50 Test duration 72 h

species

Pseudokirchneriella subcapitata ingredient Phosphine oxide

Acute (short-term) toxicity to algae and cyanobacteria 2.01 mg/L

Effective dose

EC50

Test duration 72 h

species

Pseudokirchneriella subcapitata

Method

OECD 201

Assessment/classification

Do not allow uncontrolled discharge of product into environment. Do not allow to enter into surface water or drains. The product has not been tested. The statement is derived from the properties of the components.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Assessment/classification

not readily biodegradable (according to OECD criteria)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)Photopolymer E-Tool 2.0Print date04.11.2021Revision date15.03.2018Version1.0

12.6 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

Before intended use

Appropriate disposal / Package

Handle contaminated packaging in the same way as the substance itself.

Waste code product 070208 hazardous waste Yes.

Waste name

other still bottoms and reaction residues

After intended use

Appropriate disposal / Product

Waste disposal according to official state regulations.

Waste code packaging 070208

hazardous waste Yes.

Waste name

other still bottoms and reaction residues

SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1 UN-No.	not applicable	not applicable	not applicable
14.2 Proper Shipping Name	not applicable	not applicable	not applicable
14.3 Class(es)	not applicable	not applicable	not applicable
14.4 Packing group	not applicable	not applicable	not applicable
14.5 ENVIRONMENTALLY HAZARDOUS	not applicable	not applicable	not applicable
14.6 Special precautions for use	er not applicable	not applicable	not applicable
14.7 Maritime transport in bulk according to IMO instruments	not applicable	not applicable	not applicable

Additional information - Land transport (ADR/RID)

remark

No dangerous good in sense of this transport regulation.

Additional information - Air transport (ICAO-TI / IATA-DGR)

remark

Not a hazardous material with respect to these transportation regulations.

Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)Photopolymer E-Tool 2.0Print date04.11.2021Revision date15.03.2018Version1.0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations and/or restrictions on use

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Additional information

Observe labels and safety data sheets for chemicals used in processing. Notice the directions for use on the label.

Relevant R-, H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

H373 May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

H412 Harmful to aquatic life with long lasting effects.

Key literature references and sources for data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.